## ORIGINAL

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

THIS SPACE FOR OFFICE USE ONLY						
Date of filing in State Engineer's Office MAR 1 6 2007						
MAR 2 7 2007						
Returned to applicant for correction.						
Corrected application filed Map filed Map						
Etha Land and Livertanta Company						
The applicant Elko Land and Livestock Company						
Environmental Department, PO Box 669 of Carlin Street and No. or P.O. Box No. City or Town						
Street and No. or P.O. Box No.  Novada, 89822  hereby makes, application for permission to change the						
State and Zip Code No.						
Point of Diversion of a portion						
of water heretofore appropriated under Permit 71431						
of water heretofore appropriated under Petrill / 1431   Identify existing right by Permit, Certificate, Proof or Claim Nos. 3f Decreed, give title of Decree						
ad identify right in Decree.						
<del></del>						
1. The source of water isUnderground						
2 1216 ofc						
2. The amount of water to be changed 3.1216 cfs Second feet, acre-feet. One second foot equals 448.83 gallous per minute.						
3. The water to be used for Industrial (Power Generation)  Irrigation, power, mining, commercial, etc. If for stock state number and kind of animals. Muss limit to one major use.						
and the same of th						
II Int pares while headers and a series of series of						
5. The water is to be diverted at the following point TS Power Plant - TSPP 2						
within the NW1/4 NE1/4, Section 10, T33 N, R48 E, M.D.M., at a point from which the NE corner of Section 12,						
T33N, R48E, M.D.M. bears N 87°51'00" E a distance of 12365.35 feet.						
Describe as being within a 40-acre subdivision of public survey and by course and distance to a section corner. If on unsurveyed land, it should be suited.  6. The existing point of diversion is located within TS Power Plant - TSPP 1-proposed						
6. The existing point of diversion is located within 15 Power Plant - 15PP 1-proposed  If point of diversion is not changed, do not answer.						
within the NW¼ SE¼, Section 11, T33 N, R48 E, M.D.M., at a point from which the E¼ corner of Section 24,						
T33N, R48E, M.D.M. bears S 35°59'21" E a distance of 12756 feet.						

7.	Proposed place of use	ame as Existing	hdivisions. If for irrigati	on state number of scres to be	irrinated.	
S€ R4	ections 11, 12, 13, 14, 15, IBE, M.D.M.; Eureka Cou	22, 23, and that portion	of N½, Section	27 within Boulder F	lat (061), T33N,	
Se	Existing place of use	22, 23, and that portion				
	If changing place	of use and/or manner of use of irrige	ation permit, describe ac	reage to be removed from irriga	er en	
9.	Use will be from	January 1	to	December 31	of each year.	
1 <b>0</b> .	Use permitted from	Month and Day	to	Month and Day December 31	of each year.	
11.	Month and Day  Month and Day  Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and					
врес те	eifications of your diversion	or storage works.) Drille	ed, cased well w State manager in	rith motor and pump	, totalizing flow	
	and fluress or drilled well, pump and a Estimated cost of works		dollarsi			
12.	Estimated cost of works	ψ1,000,000 (One million)	i uullaisj	A	**************************************	
13.	Estimated time required to	construct works one ye	ear	ell completed, describe well.		
14.	Retimated time equipped to			· hree year	•	
15. cons	Remarks: For use other (sumptive use,	than irrigation or stock wa	tering, state num	per and type of units t	to be served or annual	
A i	water rights survey map is which time the proposed	s being prepared to supp point of diversion will be	cort this applicat corrected accor	ion, to be submitted rding to the survey re	as soon as available; esults.	
RECEIVED						
	775-778-4318	MAR 1 6 2007		14/atos Biobto Ao	lminiatrator	
	Phone No.	STATE ENGINEER'S OFFICE	By Scott Par	Print or type name cle Stignature, applicant or ago	arty	
	PLICATION MUST BE THE APPLICANT O		Carlin, Nev	Street and No., or P.O. Box	t No.	
	\$150	FILING FEE MUST	ACCOMPAN	APPLICATION		
					(0)-1503A (Brv. 11-99)	

WITHDRAWN BY APPLICANT MAY 2 3 2007

Tany Ty-Pe STATE ENGINEER